## a.) Amendment to the Claims

- 1. (Previously Presented) An isolated polypeptide which comprises the amino acid sequence of SEQ ID NO: 1.
- 2. (Currently Amended) An isolated polypeptide which is encoded by a DNA having at least 80% 95% homology with the nucleotide sequence of SEQ ID NO:2 and which has a nucleoside transporting activity.
- 3. (Previously Presented) An isolated DNA which encodes the polypeptide of claim 1.
- 4. (Previously Presented) An isolated DNA which has the nucleotide sequence of SEQ ID NO:2.
- 5. (Previously Presented) An isolated DNA which hybridizes with the DNA of claim 3 or 4 at 65°C in the presence of 0.7 to 1.0M sodium chloride followed by washing at 65°C with 0.1 to 2 x SSC, and which encodes a polypeptide having a nucleoside transporting activity.

- 6. (Previously Presented) A recombinant DNA which is obtained by inserting the DNA of any one of claims 3, 4 or 46 into a vector.
- 7. (Previously Presented) The recombinant DNA according to claim 6, wherein the recombinant DNA is plasmid p46-1 or p3-2.
- 8. (Previously Presented) An isolated transformant which harbours the recombinant DNA of claim 6.
- 9. (Previously Presented) The transformant according to claim 8, wherein the transformant is selected from the group consisting of a microorganism, an animal cell, a plant cell and an insect cell.
- 10. (Previously Presented) The transformant according to claim 9, wherein the transformant is a microorganism belonging to the genus *Escherichia*.
- 11. (Previously Presented) The transformant according to claim 10, wherein the microorganism is *Escherichia coli* JM109/p46-1 (FERM BP-6462) or Escherichia coli JM109/p3-2 (FERM BP-6830).

12. (Previously Presented) A method for producing a polypeptide selected from the group consisting of:

(i) a polypeptide which comprises the amino acid sequence of SEQ ID NO:1; and

(ii) the amino acid sequence of SEQ ID NO:1, wherein one to twenty amino acids are deleted, substituted or added, and which polypeptide a polypeptide which is encoded by a DNA having at least 95% homology with the nucleotide sequence of SEQ ID NO:2 and which has a nucleoside transporting activity,

which comprises culturing the transformant of claim 8 in a medium to form and accumulate the polypeptide in the culture, and subsequently recovering the polypeptide from the culture.

Claims 13-45 (Cancelled).

46. (Previously Presented) An isolated DNA which encodes the polypeptide of claim 2.

47. (Previously Presented) A recombinant DNA which is obtained by inserting the DNA of claim 5 into a vector.

48. (Previously Presented) An isolated transformant which harbours the recombinant DNA of claim 7.

Claims 49-66 (Cancelled).